------ POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH ------

	POPULATIO:	N ESTIMATES	5	CANCER	INCIDEN	CE	LOCAL PUBLIC H	HEALTH	
1									Per
Total 1	999 Popula	tion Est	86,020	(Cancer incide	ence is f	For 1998)	Activities Reported	Number	10,000
	nt Female		50.6	,			-		
i				Primary Site		Number	Public Health Nursing		ľ
Donulat	ion ner so	uare mile	155	TITMALY DICC		<u> </u>	Total clients	2,433	282
	in state	dale mile	14	Breast		57	Total visits	1,764	
		ulation der		Cervical		10		1,704	204
						- 1	Visits: Reason for	192	
/2=1	owest popu	lation dens	sity.)	Colorectal	_	63	Gen hlth promotion	192	22
ļ	_	_	_	Trachea, Bronchu	ıs, Lung	56	Infant/child hlth	1,102	128
Age	Female	Male	Total	Prostate Other sites Total		54	Intections & naracitic	569	66
0-14	8,350	8,800	17,160	Other sites		181	Circulatory Prenatal		.
15-19	3,300	3,550	6,850 6,370	Total		421	Prenatal	130	15
20-24	3,190	3,180	6,370				Postpartum	340	39
25-29	2,950	2,870	5,830	LONG-T	ERM CARE	: [			
30-34	3,340	3,380	5,830 6,720			ľ	WIC Participants	2,343	272
35-39	3,030	3,230	6,260	Community Options	and MA	Waiver	<del>-</del>		İ
40-44	3,230	3,380	6,600	Programs			Clinic Visits	13,333	1.546
45-54	5,480	5,530	11,010		lients	Costs	Immunization	9.776	1.133
55-64		3,670	7 590	# C	73	\$100,108	Blood pressure		
65-74	3,080	3,670 2,700	7,590 5,780	MA Waivers *	73	\$100,100	Blood plessure	104	14
75-84	3,000 2,450	1,660	3,76U 4 110	MA Walvers "	4	ė120 616	Envisormental Contacts		
	2,450	1,000	4,110 1,750 86,020	CIP1A CIP1B CIP2 COP-W	4	\$139,010	Environmental Contacts	60	_
85+		510	1,750	CIPIB	37	\$614,239	Env hazards	62	
Total	43,540	42,480	86,020	CIP2	ΤŢ	\$125,424	Public health nuisance	69	8
ļ				COP-W	92	\$280,561			ļ
Age	Female	Male	Total	CSLA Brain Inj	•	\$0			J
0-17		10,880	21,150	Brain Inj	•	\$0			
18-44		17,510	34,640	Total COP/Wvrs	157	\$1,259,948			
		9,200	18,600						
65+	6,770	4,870	11,640	\$425,626 of th	ne above	Waiver costs	Health Education		)
Total	43,540	42,480	86,020	were paid as lo	cal mate	h/overmatch	Community sessions	45	5
İ				using COP funds			Community attendance	4.789	555 İ
(Poverty	estimates	for 1995 a	are	not included in			School sessions	21	2
`		997 profile		1100 111014404 111 42010 001 002051		School sessions School attendance	296	34	
		s will be u		* Waiver costs re	norted h	nere		_, _,	
	he 2000 Ce		apdated	include federal			Staffing - FTEs		\
arcer c	11C 2000 CE	11545. /		Include rederal	. runarng	۱ •	Total staff	1 /	16
	TIME	OYMENT					Total staff Administrators	1 ±	1.0
				TToma TTo 27-1- 3-		,	Administrators	Ţ	0.4
		obs covered		Home Health Agenc	eies	1	Public health nurses	6	0.7
by Unemployment Compensation \$25,588     Note: Average wage is based on place			Patients		91	Public health aides	•	.	
				Patients per 10,	000 pop.	11	Environmental specialis	ts .	.
of	work, not	place of r	residence.						
				Nursing Homes		8   730			
		tes Annua		Licensed beds		730 89.6%			
Civilia	n labor fo	rce	52,012	Occupancy rate		89.6%	(funding data not	availabl	e)
Numbe	r employed		50,770 1,242	Residents on 12/	31/98	649			
Numbe	r unemplov	ed	1,242	Residents aged 6	5 or old	ler			į
Unem	plovment r	ate	2.4%	per 1,000 popu	lation	52			
									ı

----- NATALITY ------Birth Order Births Percent TOTAL LIVE BIRTHS 1,107 Marital Status First 430 39 of Mother Births Percent Second 355 32
Third 189 17
Fourth or higher 133 12
Unknown 0 0 32 Married 845 76
17 Not married 262 24
12 Unknown 0 0 Crude Live Birth Rate 12.9 76 General Fertility Rate 58.2 Live births with reported congenital anomalies 25 2.3% Education Births Percent of Mother Delivery Type Births Percent Elementary or less 48 
 Vaginal after
 1st trimester
 888
 80

 previous cesarean
 39
 4
 2nd trimester
 181
 16

 Forceps
 28
 3
 3rd trimester
 29
 3

 Other vaginal
 838
 76
 No visits
 7
 1

 Primary cesarean
 135
 12
 Unknown
 2
 <.5</td>

 Repeat cesarean
 67
 6

 Other or unknown
 0
 0
 Number of Prenatal
 Some high school 155 14 High school 368 Some college 245 College graduate 290 26 Unknown 1 <.5 Smoking Status Care visits Births Percent of Mother Births Percent 
 Birth Weight
 Births
 Percent
 No visits
 7
 1

 <1,500 gm</td>
 17
 1.5
 1-4 visits
 33
 3

 1,500-2,499 gm
 56
 5.1
 5-9 visits
 224
 20

 2,500+ gm
 1,034
 93.4
 10-12 visits
 503
 45

 Unknown
 0
 0.0
 13+ visits
 338
 31

 Unknown
 2
 <.5</td>
 215 Smoker 892 Nonsmoker 81 20 Unknown 0 0 Trimester of First Prenatal Visit Low Birth Weight (under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknown Total Births 
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Race of Mother White 72 6.6 7 78 2 22 1 8.3 11 92 1 8 9 1 Black 12 1 0 0 Other Unknown Trimester of First Prenatal Visit Low Birth Weight Fertility (under 2,500 gm) Fertility (under 2,500 gm)

Births Rate Births Percent 1st Trimester 2nd Trimester Other/Unknown Births Percent Births Percent Births Percent Age of Mother 
 Births
 Percent
 Births
 Percent
 Births
 Percent

 \*
 .
 \*
 .
 \*

 24
 60
 11
 28
 5

 51
 73
 17
 24
 2

 188
 73
 55
 21
 13

 268
 83
 45
 14
 10

 221
 87
 30
 12
 4

 112
 83
 21
 16
 2

 24
 92
 1
 4
 1
 2 --\* . <15 2 5.0 5 7.1 15-17 40 21 13 70 50 18-19 13 5.1 23 7.1 256 80 20-24 323 109 25-29 255 76 135 45 26 8 0 --16 6.3 30-34 10 7.4 35-39 24 92 . . 1 40+ 4 15.4 Unknown Teenage Births 112 34 \* - Not reported. Age or race category has less than 5 births

REPORTED*	CASES	$\bigcirc$ F	SELECTED	DISEASES
	CADED	OT.		DISTORDED

Disease	Number
Campylobacter Enteritis	13
Giardiasis	23
Hepatitis Type A	<5
Hepatitis Type B**	<5
Hepatitis NANB/C***	
Legionnaire's	<5
Lyme	<5
Measles	0
Meningitis, Aseptic	<5
Meningitis, Bacterial	<5
Mumps	0
Pertussis	<5
Salmonellosis	19
Shigellosis	8
Tuberculosis	<5

- \* 1999 provisional data
- \*\* Includes all positive HBsAg test results
- \*\*\* Unavailable at time of printing

#### Sexually Transmitted Disease

8
2
8
:5

#### ----- IMMUNIZATIONS -----

# Children in Grades K-12 by Compliance Level

Compliant	15,305
Non-compliant	116
Percent Compliant	99.2

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS		840
Crude Death	n Rate	977

Age	Deaths	Rate
1-4	3	
5-14	2	
15-19	6	
20-34	14	
35-54	59	247
55-64	83	1,094
65-74	131	2,267
75-84	242	5,881
85+	295	16,869

#### Infant

Mortality	Deaths	Rate
Total Infant	5	
Neonatal	4	
Postneonatal	1	
Unknown	•	•

## Race of Mother White

5	
•	
•	
	•

### Birth Weight

<1,500 gm	3	
1,500-2,499 gm	1	
2,500+ gm	1	
Unknown		

## Perinatal

Mortality	Deaths	Rate
Total Perinatal	10	•
Neonatal	4	
Fetal	6	•

Selected	
----------	--

Underlying Cause	Deaths	Rate
Heart Disease (total)	248	288
Ischemic heart disease		
Cancer (total)	180	209
Trachea/Bronchus/Lung		
Colorectal	26	30
Female Breast	15	.*
Cerebrovascular Disease	62	72
Lower Resp. Disease		
Pneumonia & Influenza	28	33
Injuries	38	44
Motor vehicle	21	24
Diabetes	22	26
Infectious & Parasitic	8	
Suicide	9	

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	17		
Other Drugs	16		
Both Mentioned			

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	
Total Crashes	891	28
Alcohol-Related	151	14
With Citation:		
For OWI	17	0
For Speeding	68	0
Motorcyclist	42	4
Bicyclist	14	0
Pedestrian	24	2

----- HOSPITALIZATIONS ------

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average	Charge Per Capita
Injury-Related	1: All					Alcohol-Relate	ed.				
Total	810	9.4	5.0	\$14,588	\$137	Total	289	3.4	3.1	\$4,289	\$14
<18	101	4.8		\$13,023	\$62	18-44	179	5.2	2.3	\$2,809	\$15
18-44	222	6.4	3.9	\$13,714	\$88	45-64	81	4.4	4.0	\$6,459	\$28
45-64	144	7.7		\$15,764	\$122	Pneumonia and	_	1.1	1.0	φ0,433	<b>Ϋ2</b> 0
65+	343	29.5	6.0	\$15,704	\$445	Total	345	4.0	5.6	\$9,559	\$38
Injury: Hip		49.5	0.0	313,121	5440	<18	40	1.9	2.9	\$5,055	\$30 \$10
Total	100	1.2	6.8	\$19,820	\$23	45-64	52	2.8	4.9	\$8,915	\$25
65+	94	8.1		1 - 7		65+	_				
		8.1	6.8	\$20,028	\$162	k.	234	20.1	6.3	\$6	\$0
Injury: Pois	_	0 7	1 (	ė4 177	\$3	Cerebrovascula		2 0	4 0	d10 CE7	\$37
Total	57	0.7	1.6	\$4,177		Total	253	2.9	4.8	\$12,657	
18-44	34	1.0	1.4	\$3,857	\$4	45-64	42	2.3	4.3	\$14,219	\$32
						65+	206	17.7	4.9	\$12,158	\$215
Psychiatric						Chronic Obstru		-			
Total	547	6.4	7.8	\$7,580	\$48	Total	197	2.3	4.3	\$6,862	\$16
<18	137	6.5	8.1	\$7,945	\$51	<18	18		•		•
18-44	283	8.2	6.9	\$6,265	\$51	18-44	34	1.0	3.1	\$5,667	\$6
45-64	60	3.2	11.0	\$10,460	\$34	45-64	32	1.7	3.4	\$5,449	\$9
65+	67	5.8	8.6	\$9,807	\$56	65+	113	9.7	5.4	\$8,275	\$80
						Drug-Related					
Coronary Heart	Disease					Total	42	0.5	5.2	\$4,341	\$2
Total	613	7.1	4.2	\$22,122	\$158	18-44	27	0.8	2.5	\$2,688	\$2
45-64	220	11.8	3.3	\$22,167	\$262	ſ					
65+	372	31.9		\$22,646	\$724	Total Hospital	lizations				
				T/	7	Total	9,836	114.3	4.3	\$10,066	\$1,151
Malignant Neor	olasms (Ca	ncers)	: All			<18	1,730	81.8	3.3	\$5,413	\$443
Total	366	4.3		\$17,293	\$74	18-44	2,664	76.9	3.2	\$6,951	\$535
18-44	28	0.8		\$24,553	\$20	45-64	1,707	91.8	4.3	\$12,892	
45-64	117	6.3		\$16,479	\$104	65+	3,735	320.8	5.6	\$13,153	\$4,219
65+	214	18.4	6.3	\$16,204	\$298	]	5,755	320.0	3.0	φ±3,±33	Q1,210
Neoplasms: F						   <b> </b>	PREVENTABLE	י שרפטדי		ONG*	
Total	35	0.8	2.4	\$8,778	\$7	Total	1,285	14.9	4.5	\$8,008	\$120
Neoplasms: C			۷.٦	φυ <b>,</b> / / υ	γ <i>1</i>		151	7.1	2.1	\$3,486	\$25
Total	2010-recta 44	0.5	7.7	\$19,496	\$10	18-44	184	5.3	3.6	\$3,486 \$7,138	\$45 \$38
	30	2.6	7.7	\$19,496	\$10 \$51	45-64	222	11.9			
65+		∠.0	7.8	919,001	ээт	II .			4.4	\$9,342	\$112
Neoplasms: I		۰	п 1	410 055	άO	65+	728	62.5	5.2	\$8,759	\$548
Total	43	0.5	7.1	\$18,055	\$9	* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization					
Diabetes						The definition of				tions in	1999
Total	130	1.5	4.9	\$8,859	\$13	is consistent wi					_
65+	60	5.2	6.0	\$9,935	\$51	Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					